



Prepared by

The Educational Council on Osteopathic Principles

A Council of The American Association of Colleges of Osteopathic Medicine



Contributors

Dr. Kevin D. Treffer, DO John Jones, DO, Med (Chair) LeAnn D. Jons-Cox, DO Dr. Kendi Hensel, DO, PhD (Vice Chair) George B. Klock, DO Dr. Jonathon R. Kirsch, DO Michael L. Kuchera, DO (Secretary) To Shan Li, DO Tyler Cymet, DO (AACOM Staff Liaison) David C. Mason, DO David R. Beatty, DO Susan Milani, DO Millicent King Channell, DO William F. Morris, DO Lisa A. DeStefano, DO Evan A. Nicholas, DO William H. Devine, DO Stacey Pierce-Talsma, DO, MS Walter Ehrenfeuchter, DO Paul R. Rennie, DO David Eland, DO Mark Sandhouse, DO Thomas J. Fotopoulos, DO Harriet H. Shaw, DO Rebecca Giusti, DO Eva B Shay, DO John Glover, DO, MS Karen T. Snider, DO Laura Griffin, DO Greg Thompson, DO David G. Harden, DO Anthony M. Will, DO Kurt P. Heinking, DO Stuart F. Williams, DO

Jan Hendryx, DO

Table of Contents

Part One: Systemic COIL Scenarios

Chapter 1	Patient With a Headache	1
Chapter 2	Patient With Depression	10
Chapter 3	Patient With Pruritus	19

Part Two: Musculoskeletal COIL Scenarios

Chapter 1	Patient With Carpal Tunnel Syndrome	21
Chapter 2	Patient With Degenerative Disc Disease	31
Chapter 3	Patient With Inertial Injury (Whiplash)	39
Chapter 4	Patient With Osteoarthritis	45
Chapter 5	Patient With Temporomandibular Joint Dysfunction	55
Chapter 6	Patient With Knee Pain	65
Chapter 7	Patient With Thoracic Outlet Syndrome	75

Part Three: Cardiac COIL Scenarios

Chapter 1	Patient With Myocardial Infarction	85
Chapter 2	Patient With Congestive Heart Failure	95

Part Four: Pulmonary COIL Scenarios

Chapter 1	Patient With Chronic Obstructive Pulmonary Disease	105
Chapter 2	Patient With Pneumonia	115
Chapter 3	Patient With Sinusitis	125

Part Five: Gastrointestinal COIL Scenarios

Chapter 1	Patient With Gastroesophageal Reflux Disease	135
Chapter 2	Patient With Irritable Bowel Syndrome	145

Part Six: Surgery COIL Scenarios Chapter 1 Patient With Ileus Following Abdominal Sur

Chapter 1	Patient With Ileus Following Abdominal Surgery	155
Chapter 2	Patient With Chest Pain Following Sternotomy	165

Part Seven: Pediatric COIL Scenarios

Chapter 1	Patient With Pediatric Asthma	175
Chapter 2	Patient With Pediatric Torticollis	185

Introduction

The osteopathic approach to patient care is shaped by a philosophy of treating the "whole person." Although uniquely American, the osteopathic philosophy has been shaped by Italian and French models of care, which focus on the physical examination and information obtained directly from the patient. Osteopathic physicians (DOs) are trained to begin patient care with a detailed medical and social history.

DOs receive further specialize training on the musculoskeletal system and its relationship to other bodily systems. The musculoskeletal system makes up over 60% of body mass and is the structural foundation of the human body. Identifying changes and complications in the musculoskeletal system early in patient care can help assess overall health and the likelihood of returning to an optimal health condition, as well as revealing influences on other systems that can assist in the natural bodily self-healing that occurs alongside and during care.

From the beginning (1874), osteopathic manual manipulation (OMM) and osteopathic manipulative treatment (OMT) have been vital in providing patient care. Although specific OMM/OMT techniques have changed over time, touch has always been the essential part of all osteopathic treatments. Touch allows physicians to feel and better relate to their patients. Touch is crucial to the effectiveness of OMM/OMT. Treating patients with the most effective methods available to make their lives easier and more comfortable makes knowing, understanding, and applying OMM/OMT so significant.

The Clinical Osteopathically Integrated Learning (COIL) scenarios incorporate the philosophy and OMM/OMT into the training of routine patient care. The COIL scenarios are both a case-based textbook and a treatment manual. They provide general medical cases and the recommended OMM/OMT that should be used along with other treatments.

The COIL scenarios were developed by the Educational Council on Osteopathic Principles (ECOP), which is composed of a representative who is responsible for teaching OMM/OMT from each college accredited by the American Osteopathic Association (AOA).

ECOP hopes that you find the COIL scenarios effective in teaching you to treat patients the osteopathic way.

Tyler Cymet, DO Associate VP for Medical Education Chief of Clinical Medical Education American Association of Colleges of Osteopathic Medicine

iv

What Is a COIL Scenario?

"COILS" is the acronym for Clinical Osteopathically Integrated Learning Scenario. The scenarios are resources designed to help educators teach the uniquely osteopathic concepts and are further intended to instruct students on where OMM/OMT is appropriate in the treatment of specific medical conditions commonly encountered. They are valuable tools for osteopathic medical training programs, educators, and students.

Each scenario is divided into two sections. Section One is cognitive and is designed as a Roundtable Discussion Workshop. This section begins with a case presentation and discussion and includes primary pathology, the effect of the pathology on the musculoskeletal system, and integration of that knowledge into patient care. Extra attention is paid to the osteopathic components of care, both philosophically and practically. Section Two is mainly psychomotor and is designed as Patient-Based Application Workshop. This section should give the student or physician hands-on supervised application of recommended OMM/OMT.

Although the two sections of the scenario may be conducted as a single, uninterrupted training session, time limitations and other duties may require that each section be presented as a separate workshop. Educators are encouraged to modify the content and sequence of material presented to match their specific needs.

Each COIL scenario specifically focuses on the cognitive and psychomotor skills required to effectively apply OMM/OMT in the treatment of visceral diseases. OMM/OMT is not to be considered or applied to the exclusion of other appropriate diagnostic treatments but is to be used in conjunction with any and all other appropriate medical treatments, including medications, surgery, patient education, nutrition, counseling, and exercise.

Clinical Osteopathically Integrated Learning Scenario Instructor Guidelines

Description

Clinical Osteopathically Integrated Learning Scenario (COILS) focuses on history, evaluation, the palpatory diagnosis, and application of osteopathic manual medicine and osteopathic manipulative treatment (OMM/OMT) for patients with specific clinical presentations.

Each COILS has two sections

Section One

The **Roundtable Discussion Workshop** includes a discussion and evaluation of the patient's case history, diagnosis, pathophysiology, osteopathic principles involved, functional anatomy, treatment options, contraindications, and (if time permits) a demonstration of manipulative treatment techniques that are applicable to the patient.

Section Two

The Patient-Based Application Workshop

is the supervised application of manipulative treatment techniques for a patient with this diagnosis. The workshop is designed to evaluate the student's or physician's diagnostic and psychomotor skills when providing an osteopathic manipulative treatment for an actual (or simulated) patient.

Instructor's Responsibilities

- Conduct the Round Table Discussion
 Workshop and the Patient-Based
 Application Workshop
- Observe and monitor the application of OMM/OMT
- Validate the structural examination findings
- Provide immediate feedback regarding the performance
- Administer COMLEX-formatted multiplechoice examination
- Complete a Critical Actions Evaluation checklist
- Verify responses on the Osteopathic Musculoskeletal Examination of the Hospitalized Patient
- Keep a record of the cognitive and psychomotor examinations, with comments
- Provide further discussion on, treatment effects, documentation guidelines, contraindications, and other appropriate topics
- Instruct in additional OMM/OMT techniques
- Identify related periodicals for review

Instructional Materials

- COMLEX-formatted multiple-choice examination, Critical Actions Evaluation checklist, and Osteopathic Musculoskeletal Examination of the Hospitalized Patient for each chapter. These forms may be reproduced for testing purposes only.
- Skeletal model
- OMT tables and chairs
- Audiovisual equipment
- Workshop folder containing workshop syllabus
- CD-ROM, overheads, and/or slides containing audiovisual materials
- Information on adult learning and teaching of psychomotor skills

References

Ward RC. *Foundations for Osteopathic Medicine*. Baltimore, MD: Williams & Wilkins; 1997.

DiGiovanna, E., Schiowitz, S., & Dowling DJ. An Osteopathic Approach to Diagnosis and Treatment, 3rd ED. Philadelphia, PA: Lippincott-Raven Publishers; 2004.

Jones LH, Kusunose RS, Goering EK. *Jones Strain Counterstrain*. Carlsbad, CA: The Jones Institute; 1995. Kuchera ML, Kuchera WA. *Osteopathic Considerations in Systemic Dysfunction*, Revised 2nd ED. Columbus, OH: Greyden Press, 1994.

Magoun HI. *Osteopathy in the Cranial Field,* 2nd ED. Kirksville, MO: The Journal Printing Company; 1966.

Nelson KE, Glonek T. *Somatic Dysfunction in Osteopathic Family Medicine*. Baltimore, MD: Lippincott Williams and Wilkins; 2006.

Simons DG, Travel JG, Simons LS. *Myofascial Pain and Dysfunction: The Trigger Point Manual*; Vol. 1, The Upper Half of Body, 2nd ED. Baltimore, MD: Lippincott Williams and Wilkins; 1999.

Simons DG, Travel JG, Simons LS. *Myofascial Pain and Dysfunction: The Trigger Point Manual*; Vol. 2. The Lower Extremities, 2nd ED. Baltimore, MD: Lippincott Williams and Wilkins; 1999.

Ward RC. *Foundations for Osteopathic Medicine*. Baltimore, MD: Williams & Wilkins; 1997.

Yates, HA, Glover, JC. *Counterstrain: Handbook* of Osteopathic Technique. Tulsa, OK; Y Knot Publishers; 1995

Clinical Osteopathically Integrated Learning Scenarios Student Physician's Guidelines

Description

Clinical Osteopathically Integrated Learning Scenario (COILS) focuses on history, evaluation, the palpatory diagnosis, and application of osteopathic manual medicine and osteopathic manipulative treatment (OMM/OMT) for patients with specific clinical presentations.

Each COILS has two sections:

Section One

The **Roundtable Discussion Workshop** includes a discussion and evaluation of the patient's case history, diagnosis, pathophysiology, osteopathic principles involved, functional anatomy, treatment options, contraindications, and (if time permits) a demonstration of manipulative treatment techniques that are applicable to the patient. A multiple-choice (COMLEX-type test) examination is administered at completion of the workshop.

Section Two

The **Patient-Based Application Workshop** is the supervised application of manipulative treatment techniques for a patient with this diagnosis. The workshop is designed to evaluate the student's or physicians diagnostic and psychomotor skills when providing an osteopathic manipulative treatment for an actual (or simulated) patient. A Critical

Actions Evaluation (checklist) is administered at completion of the workshop.

Responsibilities

- Identify and comprehend the patient history, physical examination, laboratory values, and related diagnostic tests
- Perform a structural examination indicated for the specified dysfunction or disease
- Determine significant areas of somatic dysfunction.
- Determine the patient's body region(s) to be treated with OMM/OMT on the basis of the specified dysfunction or disease
- Apply OMM/OMT to at least one significant somatic dysfunction as indicated and tolerated by the patient.
- Demonstrate how to monitor the patient's response to treatment
- Document somatic dysfunction, manipulative treatment performed, and observable effects
- Prescribe medications appropriately
- Address behavioral issues

Areas of Instructional Focus

- Failure to review and understand the patient's history, physical examination, laboratory tests, or related diagnostic findings
- Failure to adequately assess the patient
- Initiation of OMM/OMT procedures before appropriate diagnosis
- Performing OMM/OMT techniques that are contraindicated
- Failure to correlate structural findings to the patient's condition
- Failure to adequately document the diagnoses

References

Chila T. *Foundations for Osteopathic Medicine,* 3rd ED. Baltimore, MD: Lippincott Williams & Wilkins: 2010.

DiGiovanna E, Schiowitz S, Dowling DJ. An Osteopathic Approach to Diagnosis and Treatment, 3rd ED. Philadelphia, PA: Lippincott-Raven Publishers; 2004.

Jones LH, Kusunose RS, Goering EK. *Jones Strain Counterstrain*. Carlsbad, CA: The Jones Institute; 1995.

Kuchera ML, Kuchera WA. *Osteopathic Considerations in Systemic Dysfunction*, Revised 2nd ED. Columbus, OH: Greyden Press, 1994.

Magoun HI. *Osteopathy in the Cranial Field,* 2nd ED. Kirksville, MO: The Journal Printing Company; 1966.

Nelson KE, Glonek T. *Somatic Dysfunction in Osteopathic Family Medicine*. Baltimore, MD: Lippincott Williams and Wilkins; 2006.

Simons DG, Travel JG, Simons LS. *Myofascial Pain and Dysfunction: The Trigger Point Manual; Vol. 1, The Upper Half of Body,* 2nd ED. Baltimore, MD: Lippincott Williams and Wilkins; 1999.

Simons DG, Travel JG, Simons LS. Myofascial
Pain and Dysfunction: The Trigger Point Manual;
Vol. 2. The Lower Extremities, 2nd ED. Baltimore,
MD: Lippincott Williams and Wilkins; 1999.

Stone CA. Visceral and Obstetric Osteopathy, London, United Kingdom: Churchill Livingstone; 2007.

ix